

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/
EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifierTrade name: **Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"**

UFI:

CuRofix 3 spezial/SP: JMA8-N0S9-7002-77F5

CuRofix 3: K1EP-H22X-A00U-HNK4

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture

Soldering flux

Brazing alloy

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

FELDER GMBH

Im Lipperfeld 11

D-46047 Oberhausen

Tel.: 0208/8 50 35-0

Fax.: 0208/2 60 80

<http://www.felder.de>e-mail: info@felder.de**Further information obtainable from:**

lab

(mo-thu. 8:00 a.m. - 4:00 p.m./ fr. 8:00 a.m. - 1:00 p.m.)

email: mprobst@felder.de**1.4 Emergency telephone number:**

24-hour emergency information:

Giftnotruf Berlin, counselling in German and English

Phone: (030) 30686 700

EuPCS: PC-TEC-24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture**Classification according to Regulation (EC) No 1272/2008**

GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS05 GHS07

Signal word Danger**Hazard-determining components of labelling:**

zinc chloride

Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

(Contd. on page 2)

— EU —

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/
EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

Trade name: Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"

(Contd. of page 1)

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Labelling of packages where the contents do not exceed 125 ml**Hazard pictograms**

GHS05 GHS07

Signal word *Danger***Hazard-determining components of labelling:**

zinc chloride

Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Description: Mixture: consisting of the following components.

Dangerous components:		
CAS: 7646-85-7 EINECS: 231-592-0 Index number: 030-003-00-2 Reg.nr.: 01-2119472431-44	zinc chloride ⚠ Skin Corr. 1B, H314 ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ⚠ Acute Tox. 4, H302 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	<10%
CAS: 7440-50-8 EINECS: 231-159-6 Index number: 029-024-00-X Reg.nr.: 01-2119480154-42	copper ⚠ Aquatic Chronic 2, H411	<2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/
EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

Trade name: Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

After contact with the molten product, cool rapidly with cold water.

Do not pull solidified product off the skin.

Seek medical treatment.

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Protect unharmed eye.

Seek medical treatment.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Hydrogen chloride (HCl)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Product forms slippery surface when combined with water.

Wear protective clothing.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

(Contd. on page 4)

— EU —

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/
EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

Trade name: Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"

(Contd. of page 3)

Keep container tightly sealed.

Storage class: 8 A

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

7440-31-5 tin

WES (Australia)	Long-term value: 2 mg/m ³
MAK (Germany)	vgl. Abschn. IIb
OEL (Ireland)	Short-term value: 0.2** mg/m ³ Long-term value: 2* 0.1** mg/m ³ IOELV, *metal, oxide, inorg. compds., **org. compds.

7646-85-7 zinc chloride

WES (Australia)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
MAK (Germany)	Long-term value: 0.1A* 2E** mg/m ³ *alveolengängig; **einatembar
WEL (Great Britain)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
OEL (Ireland)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³

7440-50-8 copper

WES (Australia)	Long-term value: 1* 0.2** mg/m ³ *dust & mists (as Cu) **fume
AGW (Germany)	Long-term value: 0.045 (A) 0.200 (E) mg/m ³ 8 (II) (A) 4 (II) (E); AGS, 10, als Cu
WEL (Great Britain)	Short-term value: 2** mg/m ³ Long-term value: 0.2* 1** mg/m ³ *fume **dusts and mists (as Cu)
OEL (Ireland)	Long-term value: 0.2* 1** mg/m ³ *fume **dusts and mists

Regulatory information

WES (Australia): Workplace exposure standards for airborne contaminants

MAK (Germany): MAK- und BAT-Liste

OEL (Ireland): 2024 CoP for the Safety, Health and Welfare at Work

WEL (Great Britain): EH40/2020

AGW (Germany): TRGS 900

recommended monitoring procedures in accordance with 2020/878/EU no. 8.1.2:

7440-31-5 tin: NIOSH 7300, 7301, 7303(E), OSHA ID-121, ISO15202(E,F), MTA/MA-025/A92(ESP)

7440-50-8 copper: BIA 7755 (D), NIOSH 7301(E), MétroPol Fiche 003(F), MTA/MA-025/A92(ESP)

7646-85-7 zinc chloride: NIOSH 7300, 7301, 7303(E) "Zinc", OSHA, ID-121(E)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation.

Remove the fumes by means of suitable suction devices.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P2

(Contd. on page 5)

EU —

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/
EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

Trade name: Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"

(Contd. of page 4)

Hand protection

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: ≥ 0.4 mm

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Value for the permeation: Level ≤ 6

Eyel/face protection

Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information**

Colour:	Dark grey
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	230-250 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	135 °C
Decomposition temperature:	Not determined.
pH (100 g/l) at 20 °C	6.5
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	2.81 g/cm ³
Relative density	Not determined.
Vapour density	Not applicable.
Particle characteristics	See section 3.

9.2 Other information**Appearance:**

Form: Pasty

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

Organic solvents: 0.0 %

VOC (EC) 0.0 %

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/
EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

Trade name: Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"

(Contd. of page 5)

Change in conditionEvaporation rate *Not applicable.***Information with regard to physical hazard classes**

Explosives	<i>Void</i>
Flammable gases	<i>Void</i>
Aerosols	<i>Void</i>
Oxidising gases	<i>Void</i>
Gases under pressure	<i>Void</i>
Flammable liquids	<i>Void</i>
Flammable solids	<i>Void</i>
Self-reactive substances and mixtures	<i>Void</i>
Pyrophoric liquids	<i>Void</i>
Pyrophoric solids	<i>Void</i>
Self-heating substances and mixtures	<i>Void</i>
Substances and mixtures, which emit flammable gases in contact with water	<i>Void</i>
Oxidising liquids	<i>Void</i>
Oxidising solids	<i>Void</i>
Organic peroxides	<i>Void</i>
Corrosive to metals	<i>Void</i>
Desensitised explosives	<i>Void</i>

SECTION 10: Stability and reactivity

10.1 Reactivity *No further relevant information available.***10.2 Chemical stability****Thermal decomposition / conditions to be avoided:***No decomposition if used and stored according to specifications.***10.3 Possibility of hazardous reactions** *Reacts with strong oxidising agents.***10.4 Conditions to avoid** *No further relevant information available.***10.5 Incompatible materials:** *No further relevant information available.***10.6 Hazardous decomposition products:**

Irritant gases/vapours
Hydrogen chloride (HCl)
Chlorine
Ammonia

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute toxicity** *Based on available data, the classification criteria are not met.***LD/LC50 values relevant for classification:****ATE (Acute Toxicity Estimates)**

Oral	LD50	11,399-13,057 mg/kg (rat)
------	------	---------------------------

Primary irritant effect:**Skin corrosion/irritation***Causes severe skin burns and eye damage.***Serious eye damage/irritation***Causes serious eye damage.***Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.***Germ cell mutagenicity** *Based on available data, the classification criteria are not met.***Carcinogenicity** *Based on available data, the classification criteria are not met.***Reproductive toxicity** *Based on available data, the classification criteria are not met.***STOT-single exposure***May cause respiratory irritation.***STOT-repeated exposure** *Based on available data, the classification criteria are not met.***Aspiration hazard** *Based on available data, the classification criteria are not met.*

(Contd. on page 7)

— EU —

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/
EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

Trade name: Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"

(Contd. of page 6)

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**chronic aquatic toxicity:** NOEC(fish)= 100 mg/l, NOEC(daphnia)= 10mg/l, NOEC(algae)= 10mg/l**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects**Remark:** Harmful to fish**Additional ecological information:****General notes:**

Harmful to aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

06 03 13*: solid salts and solutions containing heavy metals

HP 8: Corrosive

HP 14: Ecotoxic

15 01 02: plastic packaging

overpack:

15 01 01: paper and cardboard packaging

Uncleaned packaging: 15 01 10*: packaging containing residues of or contaminated by hazardous substances**Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agents:**

Remove residues mechanically, clean the packaging with soap solution or with alcohol.

Water, if necessary together with cleansing agents.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR, IMDG, IATA

UN3260

14.2 UN proper shipping name

ADR

3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (ZINC CHLORIDE)

IMDG, IATA

CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (ZINC CHLORIDE)

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

8 Corrosive substances.

(Contd. on page 8)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/
EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

Trade name: Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"

(Contd. of page 7)

Label	8
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.

Transport/Additional information:**ADR**

Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

Transport category	3
Tunnel restriction code	E

IMDG

Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (ZINC CHLORIDE), 8, III

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU**Named dangerous substances - ANNEX I *None of the ingredients is listed.***REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)** *None of the ingredients are included.***DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II***None of the ingredients is listed.***REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))***None of the ingredients is listed.***Annex II - REPORTABLE EXPLOSIVES PRECURSORS***None of the ingredients is listed.***Regulation (EC) No 273/2004 on drug precursors***None of the ingredients is listed.***Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors***None of the ingredients is listed.***National regulations:****Information about limitation of use:** *Employment restrictions concerning juveniles must be observed.***Waterhazard class:** *Water hazard class 2 (Self-assessment): hazardous for water.***15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.***SECTION 16: Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31 and 2020/878/ EU

Printing date 27.05.2025

Version number 12 (replaces version 11)

Revision: 27.05.2025

Trade name: Fitting solder paste "Cu-Rofix 3 spezial", "Cu-Rofix 3 SP", "CuRofix 3"

(Contd. of page 8)

Reasons for changes:

12.05.2015: section 2 - changing classification
 28.08.2015: section 1, 8, 15 adaption to Regulation 453/2010/EC, 830/2015/EU, 18/2012/EU
 31.01.2018: section 2, adaption to Regulation 8. ATP, chapter 13
 17.08.2018: section 2
 29.10.2019: section 1
 10.01.2020: section 1
 24.11.2020: 15. ATP, 2020/878/EU
 13.01.2022: section 8.1, 15
 24.03.2023: section 1, 12
 20.03.2024: section 1
 27.05.2025: section 1, 8, 11, 12

Information referred to in Annex I, point 1.3.4.2 of Regulation 1272/2008/EC:**Relevant phrases**

H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H335 May cause respiratory irritation.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.

Contact: Dr. M. Probst**Version number of previous version:** 11**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organisation
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Safety data sheet SD3012

— EU —