

Safety data sheet
according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: "Allround" soldering gel
Lötgel Allround

UFI: XGD8-S0Y0-X00X-SR8K

FELDER
seit 1979
LÖTTECHNIK

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Soldering flux

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Felder GmbH
Im Lipperfeld 11
D-46047 Oberhausen

Tel.: +49 (0)208/ 85035-0

Fax.: +49 (0)208/ 26080

<http://www.felder.de>

e-mail: info@felder.de

Further information obtainable from:

lab

(mo-thu. 8:00 a.m. - 4:00 p.m./ fr. 8:00 a.m. - 1:00 p.m.)

email: mprobst@felder.de

1.4 Emergency telephone number:

24 hr. emergency information:

Poison emergency call Berlin

"Giftnotruf Berlin"

Tel.: 0049-30-30686 790

EuPCs: PC-TEC-24

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05



GHS07



GHS09

Signal word Danger

(Contd. on page 2)

EU

Safety data sheet
according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

Trade name: "Allround" soldering gel
Lötgel Allround

(Contd. of page 1)

Hazard-determining components of labelling:

zinc chloride

ammonium chloride

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Labelling of packages where the contents do not exceed 125 ml**Hazard pictograms**

GHS05 GHS07 GHS09

Signal word Danger**Hazard-determining components of labelling:**

zinc chloride

ammonium chloride

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Description:** Mixture: consisting of the following components.**Dangerous components:**

CAS: 7646-85-7 EINECS: 231-592-0 Index number: 030-003-00-2 Reg.nr.: 01-2119472431-44	zinc chloride Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	50-100%
CAS: 12125-02-9 EINECS: 235-186-4 Index number: 017-014-00-8 Reg.nr.: 01-2119487950-27	ammonium chloride Acute Tox. 4, H302; Eye Irrit. 2, H319	<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

EU

Safety data sheet
according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

Trade name: "Allround" soldering gel
Lötgel Allround

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out of danger area and lay down.

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: *In case of unconsciousness place patient stably in side position for transportation.*

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

Hazards

Danger of gastric perforation.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure that suitable extractors are available on processing machines

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: *No special measures required.*

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: *No special requirements.*

(Contd. on page 4)

EU

Safety data sheet
according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

Trade name: "Allround" soldering gel
Lötgel Allround

(Contd. of page 3)

Information about storage in one common storage facility:*Store away from metals.**Store away from foodstuffs.***Further information about storage conditions:***Protect from frost.**Keep container tightly sealed.***Storage class:** 8 B7.3 Specific end use(s) *No further relevant information available.***SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

12125-02-9 ammonium chloride	
WEL (Great Britain)	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
OEL (Ireland)	Short-term value: 20 mg/m ³ Long-term value: 10 mg/m ³
7646-85-7 zinc chloride	
MAK (Germany)	Long-term value: 0.1A* 2E** mg/m ³ *alveolengängig; **einatembar
WEL (Great Britain)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³
OEL (Ireland)	Short-term value: 2 mg/m ³ Long-term value: 1 mg/m ³

Regulatory information**WEL (Great Britain):** EH40/2020**OEL (Ireland):** 2021 CoP for the Safety, Health and Welfare at Work**recommended monitoring procedures in accordance with 2020/878/EU no. 8.1.2:**

7646-85-7 zinc chloride: NIOSH 7300, 7301, 7303(E) "Zinc", OSHA, ID-121(E)

12125-02-9 ammonium chloride: OSHA, ID-188 (E) "ammonia"

Additional information: The lists valid during the making were used as basis.**8.2 Exposure controls****Appropriate engineering controls***No further data; see item 7.**Provide adequate ventilation.***Individual protection measures, such as personal protective equipment****General protective and hygienic measures:***Do not eat, drink, smoke or sniff while working.**Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Avoid contact with the eyes and skin.***Respiratory protection:***Use suitable respiratory protective device in case of insufficient ventilation.**Filter B**Filter P2***Hand protection***Protective gloves**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation***Material of gloves***Nitrile rubber, NBR**Butyl rubber, BR**The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.**Recommended thickness of the material: ≥ 0.33 mm*

(Contd. on page 5)

EU

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

Trade name: "Allround" soldering gel
Lötgel Allround

(Contd. of page 4)

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Value for the permeation: Level ≤ 6

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Natural rubber, NR

Eye/face protection

Tightly sealed goggles

Body protection: *Acid resistant protective clothing*

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	6
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	2.29 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.

9.2 Other information

Appearance:

Pasty

Form:

Important information on protection of health and environment, and on safety.

Auto-ignition temperature:

Product is not selfigniting.

Explosive properties:

Product does not present an explosion hazard.

Solvent content:

0.0 %

Organic solvents:

0.00 %

VOC (EC)

Change in condition

Not determined.

Evaporation rate

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void

(Contd. on page 6)

EU

Safety data sheet
according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

Trade name: "Allround" soldering gel
Lötgel Allround

(Contd. of page 5)

Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with various metals.

Corrosive action on metals.

Develops corrosive gases/fumes.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Chlorine

Corrosive gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	1,593-1,816 mg/kg (rat)
------	------	-------------------------

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

EU —

Safety data sheet
according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

Trade name: "Allround" soldering gel
Lötgel Allround

(Contd. of page 6)

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**12.7 Other adverse effects****Remark:** Very toxic for fish**Additional ecological information:****General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

06 03 13*: solid salts and solutions containing heavy metals

15 01 02: plastic packaging

HP 6: Acute Toxicity

HP 8: Corrosive

HP 14: Ecotoxic

cleaned plastic bottle:

15 01 02: plastic packaging

overpack:

15 01 01: paper and cardboard packaging

Uncleaned packaging: 15 01 10*: packaging containing residues of or contaminated by hazardous substances**Recommendation:**

Disposal must be made according to official regulations.

Non contaminated packagings may be recycled.

Recommended cleansing agents: Water, if necessary together with cleansing agents.**SECTION 14: Transport information****14.1 UN number or ID number**

ADR, IMDG, IATA

UN1840

14.2 UN proper shipping name

ADR

1840 ZINC CHLORIDE SOLUTION, ENVIRONMENTALLY
HAZARDOUS

IMDG

ZINC CHLORIDE SOLUTION, MARINE POLLUTANT

IATA

ZINC CHLORIDE SOLUTION

14.3 Transport hazard class(es)

ADR, IMDG

**Class**

8 Corrosive substances.

Label

8

ATA**Class**

8 Corrosive substances.

Label

8

(Contd. on page 8)

EU —

Safety data sheet
according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

Trade name: "Allround" soldering gel
Lötgel Allround

(Contd. of page 7)

14.4 Packing group	III
ADR, IMDG, IATA	
14.5 Environmental hazards:	Product contains environmentally hazardous substances: zinc chloride
Marine pollutant:	Yes
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Symbol (fish and tree)
Hazard identification number (Kemler code):	Warning: Corrosive substances.
80	
EMS Number:	F-A, S-B
Segregation groups	Acids, heavy metals and their salts (including their organometallic compounds)
Stowage Category	A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1840 ZINC CHLORIDE SOLUTION, 8, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I *None of the ingredients is listed.*

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP) *None of the ingredients are listed.*

REGULATION (EC) No 1907/2006 ANNEX XVII *Conditions of restriction: 3, 65*

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use: *Employment restrictions concerning juveniles must be observed.*

(Contd. on page 9)

EU

Safety data sheet
according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 17.03.2022

Version number 4 (replaces version 3)

Revision: 17.03.2022

Trade name: "Allround" soldering gel
Lötgel Allround

(Contd. of page 8)

Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for changes:

05.10.2015: adaption to Regulation 453/2010/EC, 830/2015/EU
section 15 Seveso III, section 8.2

08.05.2018: section 13, adaption to Regulation 2016/913/EU

17.03.2022: section 1, 11, 15, 16

Information referred to in Annex I, point 1.3.4.2 of Regulation 1272/2008/EC:

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Recommended restriction of use For commercial use only.

Contact: Dr. M. Probst

Version number of previous version: 3

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Safety data sheet SD3034

EU —